



UN – 172

I Semester B.A./B.Sc. Examination, November/December 2015
(2014-15 & Onwards)
(Semester Scheme) (CBCS) (F+R)
MATHEMATICS – I

Time : 3 Hours

Max. Marks : 70

Instruction : Answer all questions.

PART – A



1. Answer any five questions :

(5×2=10)

a) Find the value of K in order that the matrix

$$A = \begin{bmatrix} 6 & K & -1 \\ 2 & 3 & 1 \\ 3 & 4 & 2 \end{bmatrix} \text{ is of rank 2.}$$

b) Find the value of λ for which the system of equations
 $2x - y + 2z = 0$, $3x + y - z = 0$ and $\lambda x - 2y + z = 0$ has a non-trivial solution.c) Find the n^{th} derivative of $e^{5x} + \sin 5x$.d) If $z = x^3 - 3xy^2$ show that $\frac{\partial^2 z}{\partial x^2} + \frac{\partial^2 z}{\partial y^2} = 0$.e) Evaluate $\int_0^{\pi/2} \sin^6 x \cos^3 x \, dx$.f) Evaluate $\int_0^{\pi/2} \cos^5 \theta \, d\theta$.g) Find the angle between the planes $2x - y + 2z - 3 = 0$ and $3x + 6y + 2z - 4 = 0$.h) If two spheres $x^2 + y^2 + z^2 + 6z - k = 0$ and $x^2 + y^2 + z^2 + 10y - 4z - 8 = 0$ cut orthogonally. Find k.

P.T.O.



PART - B

2. Answer **any one full** question :

(1×15=15)

a) Find the rank of the matrix

$$\begin{bmatrix} 1 & 0 & 1 & 1 \\ 0 & 1 & 1 & -1 \\ 2 & 1 & 3 & 1 \\ 1 & 2 & 3 & -1 \end{bmatrix}$$

by reducing it to echelon form.

b) Solve the system of equations $x + 2y + z = 3$, $2x + 3y + 3z = 10$ and $3x - y + 2z = 13$ by elimination method.

c) State Cayley-Hamilton theorem and find the inverse of the matrix

$$\begin{bmatrix} 3 & 1 \\ -1 & 2 \end{bmatrix}$$

by using it.

OR

3. a) Find the rank of the matrix

$$\begin{bmatrix} 1 & 1 & 1 & 2 \\ 2 & 1 & -3 & -6 \\ 3 & -3 & 1 & 2 \end{bmatrix}$$

by reducing it to normal form.

b) Find λ and μ such that the system of equations $x + 3y + 4z = 5$, $x + 2y + z = 3$ and $x + 3y + \lambda z = \mu$ has (i) no solution (ii) unique solution (iii) many solutions.

c) Find the eigen values and the corresponding eigen vectors of the matrix

$$\begin{bmatrix} -3 & 8 \\ -2 & 7 \end{bmatrix}$$

PART - C

4. Answer **any two full** questions :

(2×15=30)

a) Find the n^{th} derivative of $\frac{x}{(x-2)(x+3)}$.



b) Find the n^{th} derivative of

i) $y = x^2 e^{5x}$

ii) $y = \log(5x + 4)$

c) If $y = \tan^{-1}x$ prove that

$$(1 + x^2) y_{n+2} + 2(n + 1) x y_{n+1} + n(n+1) y_n = 0$$

OR

5. a) If $u = (x - y)^n + (y - z)^n + (z - x)^n$ prove that

$$\frac{\partial u}{\partial x} + \frac{\partial u}{\partial y} + \frac{\partial u}{\partial z} = 0.$$

b) If $u = \tan^{-1}\left(\frac{x^3 - y^3}{x + y}\right)$ prove that $x \frac{\partial u}{\partial x} + y \frac{\partial u}{\partial y} = \sin 2u$.

c) Find $\frac{df}{dt}$ where $f(x, y, z) = \log(x^2 + y^2 + z^2)$, $x = e^t$, $y = \sin t$, $z = \cos t$ by using partial differentiation.

6. a) If $z = f(x, y)$, $x = u - v$, $y = uv$, prove that $u \frac{\partial z}{\partial u} + v \frac{\partial z}{\partial v} = x \frac{\partial z}{\partial x} + 2y \frac{\partial z}{\partial y}$.

b) If $u = x + 3y^2 - z^3$, $v = 2x^2 - yz$, $w = 2z^2 - xy$. Evaluate $\frac{\partial(u, v, w)}{\partial(x, y, z)}$ at $(1, -1, 0)$.

c) Obtain the reduction formula for $\int \tan^n x \, dx$.

OR

7. a) Obtain the reduction formula for $\int \cos^n x \, dx$.

b) Evaluate : $\int_0^1 \frac{x^6}{\sqrt{1-x^2}} \, dx$.

c) Evaluate : $\int_0^\infty \frac{e^{-x} \sin \alpha}{x}$ where α is a Parameter using Leibnitz's rule of differentiation under the integral sign.





PART - D

8. Answer **any one full** question. (1×15=15)

- a) Find the equation of the plane passing through the line of intersection of the planes $2x + y + 3z - 4 = 0$ and $4x - y + 2z - 7 = 0$ and perpendicular to the plane $x + 3y - 4z + 6 = 0$.
- b) Prove that the lines $\frac{x-1}{2} = \frac{y-2}{2} = \frac{z-3}{1}$ and $\frac{x-2}{3} = \frac{y-2}{2} = \frac{z-6}{4}$ are coplanar and find the equation of the plane containing them.
- c) Find the equation of the sphere which passes through the points $(1, 0, 0)$, $(0, 1, 0)$, $(0, 0, 1)$ and whose centre lies on the plane $3x - y + z = 2$.

OR

9. a) Find the shortest distance between the skew lines

$$\frac{x}{2} = \frac{y}{-3} = \frac{z}{1} \text{ and } \frac{x-2}{3} = \frac{y-1}{-5} = \frac{z+2}{1}.$$

- b) Derive the equation of a sign circular cone whose vertex is origin, axis is z-axis and semi vertical angle is α . Hence obtain the equation of right circular cylinder whose vertex is at origin, axis is z - axis and semi vertical angle is 30° .
- c) Find the equation of right circular cylinder whose radius is 4 units and was passes through $(1, -2, 3)$ and $(3, -1, 1)$.