



SS – 322

V Semester B.Sc. Examination, November/December 2018
(CBCS) (Fresh) (2018 – 19 and Onwards)

PHYSICS – VI

Astrophysics, Solid State Physics and Semiconductor Physics

Time : 3 Hours

Max. Marks : 70

Instruction : Answer **five** questions from Part – A, **5** questions from Part – B and **5** questions from Part – C.

PART – A

Answer **any five** of the following. **Each** question carries **eight** marks. (5×8=40)

1. a) Define apparent magnitude and absolute magnitude of a star. Hence obtain the distance modulus expression.
b) Obtain an expression for core temperature of a star. (4+4)
2. a) Write a note on Yerke's luminosity classification of stars.
b) Obtain an expression for core pressure of a star on the basis of Linear density model. (3+5)
3. a) State and explain Moseley's law. Mention any two applications of Moseley's law.
b) Distinguish between the continuous and characteristic X-ray spectra. (4+4)
4. a) State Wiedmann-Franz law.
b) Derive an expression for electrical conductivity of a metal based on free electron theory. (2+6)
5. a) Define Hall Voltage. Derive an expression for Hall coefficient in the case of metals.
b) What is meant by critical magnetic field in superconductivity ? Explain its temperature dependence. (5+3)



P.T.O.



6. a) Distinguish between conductors, semiconductors and insulators on the basis of band theory of solids.
 b) Describe a Zener diode as a voltage regulator and explain its load regulation. (4+4)
7. Obtain an expression for electron concentration in conduction band of an intrinsic semiconductor. 8
8. a) With neat diagram explain the working of an NPN transistor in CE-mode, as an amplifier.
 b) Mention the h-parameters of the transistor. (6+2)

PART – B

Answer **any five** of the following. **Each** question carries **four** marks. (5×4=20)

$G = 6.67 \times 10^{-11} \text{ Nm}^2\text{Kg}^{-2}$; $M_{\odot} = 2 \times 10^{30} \text{ Kg}$; $R_{\odot} = 7 \times 10^8 \text{ m}$, $T_{\odot} = 6000\text{K}$;
 $C = 3 \times 10^8 \text{ ms}^{-1}$.

9. Suppose the sun shrank from its present size so that its radius is halved. What would be the change in its gravitational potential energy ?

Given : The mass of the sun (M_{\odot});

Radius of the sun (R_{\odot}).

10. The luminosity of a star is 10^4 times that of sun and its surface temperature is 2000 K. How much larger is the radius of the star compared to that of the sun ?

Given : Surface temperature of the sun (T_{\odot});

Solar radius (R_{\odot}).

Calculate the radius of the star.

11. Calculate the Schwarzschild's radius of a black hole of mass $20 \times 10^6 M_{\odot}$.

Given : Gravitational constant (G);

Mass of the sun (M_{\odot}); Velocity of light (C).





12. Find the Miller indices of a set of parallel planes which make intercepts in the ratio $3a:4b$, parallel to Z-axis. Also calculate the interplanar spacing of the planes taking the lattice to be cubic with $a = 2 \text{ \AA}$.

13. X-rays of wavelength 0.3 \AA undergo a 60° Compton scattering. Find the wavelength of the photon after scattering.

14. Assuming one free electron per atom, estimate the Fermi energy for copper.

Given : The density of copper = $8.95 \times 10^3 \text{ Kg/m}^3$.

Atomic mass = 0.0635 Kg/mole .

15. Mobilities of electrons and holes in a sample of intrinsic germanium at 300 K are $0.36 \text{ m}^2\text{v}^{-1}\text{s}^{-1}$ and $0.17 \text{ m}^2\text{v}^{-1}\text{s}^{-1}$ respectively. If the resistivity of the specimen is $2.12 \Omega \text{ m}$. Calculate the carrier concentration in intrinsic semiconductor.

16. Calculate I_C and I_E for a transistor that has $\alpha_{dc} = 0.98$ and $I_B = 100 \mu\text{A}$. Determine the value of β_{dc} .

PART – C

Answer **any five** of the following. **Each** question carries **two** marks. (5×2=10)

- a. The brightness of a star is not a good indicator of its distance. Why ?
- b. A massive star is more luminous than a less massive star. Why ?
- c. Can a black hole be seen ? Explain.
- d. Does electrical conductivity of a semiconductor depend on its temperature ? Explain.
- e. Why ordinary light can not be used for crystal diffraction ? Explain.
- f. Are there holes in the n-type semiconductor ? Explain.
- g. Are the energy levels completely filled below Fermi-level at absolute zero ? Explain.
- h. Why are hybrid parameters called so ?

